

GEL HIDRATANTE BASE CARBOPOL

FICHA DE SEGURIDAD

SECTION 1: Identification of the substance/mixture and of the company/undertaking

I.1. Product identifier

Product form : Mixture

Product name : GEL HIDRATANTE BASE CARBOPOL

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : GEL HIDRATANTE BASE CARBOPOL

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Gran Velada.S.L Pol. Montecillo, Nave 3D, 50520 Magallón (Zaragoza) ESPAÑA Telf. +34 976 86 74 74 contacto@granvelada.com

1.4. Emergency telephone number

Emergency number: Servicio de Información Toxicológica: 91 562 04 20

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP], Globally Harmonized System [GHS] and Work Health and Safety Regulations, Schedule 6

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP], Globally Harmonized System [GHS] and Work Health and Safety Regulations, Schedule 6

No labelling applicable

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product identifier | % | Classification according to CLP, GHS & WHS S.6 |
|------------------|---|-----------|---|
| Aqua | (CAS No) 7732-18-5 (EC no) 231-791-2 | q.s. 100 | Not classified |
| Propane-1,2-diol | (CAS No) 57-55-6 (EC no) 200-338-0 | 0.5 - < 2 | Not classified |
| Carbomer | (CAS No) 9003-01-4 | 0.3 - < 1 | Not classified |



| Name | Product identifier | % | Classification according to CLP, GHS & WHS S.6 |
|--|---|---------------|---|
| Triethanolamine | (CAS No) 102-71-6 (EC no) 203-049-8 | 0.3 - < 1 | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT RE 2, H373 |
| Mixture of Benzyl Alcohol and Methylchloroisothiazolineone and Methylisothiazolinone | | 0.05 - < 0.10 | Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 3, H335 Aquatic Acute 1, H400 |

Full text of H-statements; see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of Toxic fumes may be released. fire;

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.



6.3. Methods and material for containment and cleaning up

Methods for cleaning : Take up liquid spill into absorbent material.

up Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after

handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep away from heat and direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Propane-1,2-diol (57-55-6) | | | | | |
|----------------------------|-----------------|--|--|--|--|
| | Local name | Propane-1,2-diol | | | |
| | WEL TWA (mg/m³) | 10 mg/m³ particulates 474 mg/m³ total vapour and particulates | | | |
| | WEL TWA (ppm) | 150 ppm total vapour and particulates | | | |

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Safety glasses. Gloves.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment





Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid



Appearance : Gel.

No data available Odour No data available Odour threshold No data available На Relative evaporation rate (butylacetate=1) No data available Melting point Not applicable : No data available Freezing point Boiling point : No data available : No data available Flash point Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Not applicable : No data available Vapour pressure Relative vapour density at 20 °C Relative : No data available : No data available density : No data available Solubility No data available Log Pow No data available Viscosity, kinematic No data available Viscosity, dynamic Explosive properties No data available Oxidising properties No data available **Explosive limits** No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity: Not classified



Propane-1,2-diol (57-55-6)

LD50 oral rat > 10400 mg/kg LD50 dermal rabbit 20800 mg/kg

Triethanolamine (102-71-6)

LD50 oral rat > 4000 mg/kg LD50 dermal rabbit > 2000 mg/kg

Skin corrosion/irritation Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated exposure) : Not classified Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term

adverse effects in the environment.

Propane-1,2-diol (57-55-6)

LC50 fish 46500 mg/kg (Pimephalas Promelas)

EC50 daphnia 43500 (Daphnia Manga)

EC50 72h algae 24200 mg/l (Selenastrum Capricornutum)

Triethanolamine (102-71-6)

LC50 fish > 1000 mg/l (Pimephales Promelas)

LC50 other aquatic organisms 525 mg/l (Bacteria - Photobacterium Phosphoreum)

EC50 daphnia 1386 (Daphnia Manga)

EC50 72h algae 216 mg/l (Scenedesmus Subspicatus)

12.2. Persistence and degradability

Propane-1,2-diol (57-55-6)

Persistence and degradability Readily biodegradable.

Triethanolamine (102-71-6)

Persistence and degradability Readily biodegradable.

12.3. Bioaccumulative potential

Propane-1,2-diol (57-55-6)

_og Pow -0.92

Bioaccumulative potential Not expected to be bioaccumulative.

Triethanolamine (102-71-6)

Bioaccumulative potential Not bioaccumulable.



12.4. Mobility in soil

Propane-1,2-diol (57-55-6)

Triethanolamine (102-71-6)

Ecology - soil Soluble in water. Spillages may cause the contamination of ground water by penetrating

to the soil.

Ecology - soil Soluble in water. Spillages may cause the contamination of ground water by penetrating

to the soil.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting

instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | | IMDG | | IATA | ADN | RID |
|-------------------------------|--|----------------|--|----------------|----------------|----------------|
| 14.1. | UN numl | oer | | | | |
| Not app | olicable | Not applicable | | Not applicable | Not applicable | Not applicable |
| 14.2. | 14.2. UN proper shipping name | | | | | |
| Not app | olicable | Not applicable | | Not applicable | Not applicable | Not applicable |
| Not app | olicable | Not applicable | | Not applicable | Not applicable | Not applicable |
| 14.3. | 14.3. Transport hazard class(es) | | | | | |
| Not app | olicable | Not applicable | | Not applicable | Not applicable | Not applicable |
| Not app | olicable | Not applicable | | Not applicable | Not applicable | Not applicable |
| 14.4. | Packing | group | | | | |
| Not app | olicable | Not applicable | | Not applicable | Not applicable | Not applicable |
| 14.5. | Environn | nental hazards | | | | |
| Not applicable Not applicable | | | | Not applicable | Not applicable | Not applicable |
| No sup | No supplementary information available | | | | | |

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable



14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1. 15.1.1. **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

Water hazard class (WGK) nwg, Non-hazardous to water (Classification according to VwVwS Annex reference

VwVwS, Annex 4)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Ontwikkeling

: None of the components are listed

Pregnant/breastfeeding women working with the product must not be in direct Recommendations Danish Regulation

contact with the product

Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG International Maritime Dangerous Goods International Air Transport Association IATA

EC50 Median effective concentration

Derived-No Effect Level DNEL **DMEL** Derived Minimal Effect level ATE Acute Toxicity Estimate

CLP Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

BCF Bioconcentration factor Median lethal concentration LC50

Median lethal dose LD50

PBT Persistent Bioaccumulative Toxic Predicted No-Effect Concentration **PNEC**



REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

RID Regulations concerning the International Carriage of Dangerous Goods by Rai

SDS Safety Data Sheet

vPvB Very Persistent and Very Bioaccumulative

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on

classification, labelling and packaging of substances and mixtures, amending and repealing Directives

67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)

Acute toxicity (dermal), Category 3

Acute Tox. 3 (Oral)

Acute toxicity (oral), Category 3

Acute Tox. 4 (Oral)

Acute toxicity (oral), Category 4

Aquatic Acute 1 Hazardous to the aquatic environment — Acute Hazard, Category 1

Eye Dam. 1 Serious eye damage/eye irritation, Category 1

Skin Corr. 1B Skin corrosion/irritation, Category 1B
Skin Irrit. 2 Skin corrosion/irritation, Category 2
Skin Sens. 1 Sensitisation — Skin, Category 1

STOT RE 2 Specific target organ toxicity — Repeated exposure, Category 2

STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

H301 Toxic if swallowed
H302 Harmful if swallowed
H311 Toxic in contact with skin

H314 Causes severe skin burns and eye damage

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H318 Causes serious eye damage
H335 May cause respiratory irritation

H373 May cause damage to organs through prolonged or repeated exposure

H400 Very toxic to aquatic life

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product